

BLM Normal Unit Stocking (NUS)				
Updated 04/02/2020				
Category	Item Description	Engine Type		C&S PART NUMBER
		3, 4, & 5	6	
Fire Tools & Equipment**	Shovel	1	1	
	Pulaski	1	1	
	Backpack Pump	3	2	GENFO45
	Fusees (case)	1	0.5	
	Foam, concentrate, Class A (5-gallon)	1	1	
	Chainsaw Kit (includes chaps/tools)	1	1	
	Drip Torch	2	1	DT125
	Portable Pump light weight	*	*	
	Portable Pump Mark 3	*	*	
	McLeod	**	**	
	Combination Tool	**	**	
	Specialty Scraping Tool	**	**	
	** - A minimum of five tools for type 3, 4, 5, and 6 engines is required. The listed numbers of tools are required to be on the engine. Tools listed as optional or additional required tools can make up the rest of the minimum number required for engines.			
Medical	First Aid Kit, 10-person	1	1	
	Fire First Response Kit	1	1	
General Supplies	Flashlight	*	*	
	Chock Block (set)	1	1	
	Tow Chain/Cable/Tow Strap (comply w/GVW)	1	1	
	Jack, hydraulic (comply w/GVW)	1	1	
	Lug Wrench	1	1	
	Pliers, fence	1	1	
	Food , MRE (48-hour supply/per person)	1	1	
	Rags	*	*	
	Rope/Cord (feet)	50	50	
	Sheeting, plastic, 10' x 20'	1	1	
	Tape, duct	1	1	
	Tape, filament (roll)	2	2	
	Potable Water : 1 liter /per person/ per hour minimum (8 hr shift = 2 Gallons)	2 gal/per	2 gal/per	
	Bolt Cutters	1	1	
	Toilet Paper (roll)	*	*	
	Cooler or Ice Chest	*	*	
	Hand Primer, Mark III	*	*	
	Hose Clamp	2	1	HC15 or HC1510
	Hose Gaskets (ea) ¾, 1, 1 ½, 2 ½ inch	2	2	GASKET KIT
	Pail, collapsible	1	1	
	Hose Reel Crank	1	1	
Safety	Fire Extinguisher (5 lb)	1	1	
	Flagging, Pink (roll)	1	1	
	Flagging, Yellow w/Black Stripes (roll)	1	1	
	Flagging, Escape Route (roll)	1	1	
	Can, gas, 5-Gal, DOT/OSHA approved	*	*	
	Reflector Set	1	1	
	Traffic Vest (one per seating position)	3	3	

BLM Normal Unit Stocking (NUS)				
Updated 04/02/2020				
Category	Item Description	Engine Type		C&S PART NUMBER
		3, 4, & 5	6	
Vehicle & Pump Support	General Tool Kit (5180-00-177-7033/GSA)	1	1	
	Oil, automotive, quart	2	1	
	Oil, penetrating, can	1	1	
	Oil, transmission	*	*	
	Brake Fluid, pint (if equipped w/ hydraulic brakes)	1	1	
	Filter, Fuel : Gas or Diesel as required	*	*	
	Filter, Air: Chassis and Aux Pump	*	*	
	Fan Belts	*	*	
	Spark Plugs (if equipped)	1	1	
	Hose, air compressor w/adapters (if equipped with air compressor)	1	1	
	Fuse set (Vehicle Specific)	1	1	
	Tire Pressure Gauge	1	1	
	Jumper Cables	1	1	
	Battery Terminal Cleaner	*	*	
	Tape, electrical, plastic	1	1	
	Tape, Teflon	1	1	
Personal Gear (Extra Supply)	File, mill, bastard	*	*	
	Head Lamp (NFES 0713 or equivalent)	1/per	1/per	
	Hard Hat	1	1	
	Eye Protection	1	1	
	Gloves	1	1	
	First Aid Kit, individual	1	1	
	Fire Shirt	*	*	
	Fire Shelter w/case & liner	1	1	
	Packsack	1	1	
	Batteries, Type AA (1 box=144 ea)	1	1	
	Ear Plugs (pair)	3	3	
	Chaps, protective (for swamper)	1	1	
Radio	Portable (with batteries)	1	1	
	Mobile	1	1	
Hose	Booster Reel (100 feet total)	1	1	
	Suction (length, 8' or 10')	2	2	
	1" NPSH (feet)*	300	300	
	1 ½" NH (feet)*	300	300	
	¾" NH, garden (feet)	300	300	
	1 ½" NH, engine protection (feet)	20	20	
	1 ½" NH, refill (feet)	*	*	
	Type 3 Engines require an additional 200 feet of 1" hose and 700' of 1 1/2" hose for a total of 500' and 1000' of each to meet NWCG typing.			
Nozzle	Forester, 1" NPSH	2	1	TT300 NPSH*
	Adjustable, 1" NPSH	4	3	110/23BL NPSH
	Adjustable, 1 ½" NH	5	2	1560/20 NST
	Adjustable, ¾" NH	4	2	GH BRASS NOZZLE
	Foam, ¾" NH	1	1	WS-FN18-75
	Foam 1 ½" NH	1	1	WS-FN60-15
	Mop-up Wand	*	*	APP-2
	Tip, Mop-up Wand	*	*	APP-TIP
	Tip, Forester, Nozzle, fog	*	*	TT300 - FOG TIP 3GPM
	Tip, Forester Nozzle, straight stream	*	*	TT300 TIP - 3/16"
Wye	1" NPSH, Two-Way, Gated	2	2	WV1010 NPSH
	1 ½" NH, Two-Way, Gated	4	3	WV15 NST
	¾" NH w/Ball Valve, Gated	6	4	WV75B

BLM Normal Unit Stocking (NUS)				
Updated 04/02/2020				
Category	Item Description	Engine Type		C&S PART NUMBER
		3, 4, & 5	6	
Adapter	1" NPSH-F to 1" NH-M	*	*	AD1NP1NH
	1" NH-F to 1" NPSH-M	1	1	AD1NH1NP
	1 ½" NPSH-F to 1 ½" NH-M	1	1	AD1.5NP1.5NH
	1 ½" NH-F to 1 ½" NPSH-M	*	*	AD1.5NH1.5NP
Increaser	¾" NH-F to 1" NPSH-M	*	*	AD75GHT1NP
	1" NPSH-F to 1 ½" NH-M	1	1	AD1NP1.5NH
Coupling	1" NPSH, Double Female	1	1	ADFF1NP1NP
	1" NPSH, Double Male	1	1	ADMM1NP1NP
	1 ½" NH, Double Female	1	1	ADFF1.5NH1.5NH
	1 ½" NH, Double Male	1	1	ADMM1.5NH1.5NH
Reducer/ Adapter	1" NPSH-F to ¾" NH-M	3	3	AD1NP75GHT
	1 ½" NH-F to 1 NPSH-M	6	4	AD1.5NH1NP
	2" NPSH-F to 1 ½" NH-M	*	*	AD2NP1.5NH
	2 ½" NPSH-F to 1 ½" NH-M	*	*	AD2.5NP1.5NH
Reducer	1 ½" NH-F to 1" NH-M	1	1	AD1.5NH1NH
	2 ½" NH-F to 1 ½" NH-M	1	1	AD2.5NH1.5NH
Tee	1" NPSH-F x 1" NPSH-M x 1" NPSH-M, w/cap	*	*	T-1 NPSH
	1 ½" NH-F x 1 ½" NH-M x 1" NPSH-M w/cap	*	*	T-1.5NHNP
	1 ½" NH-F x 1 ½" NH-M x 1" NPSH-M w/valve	*	*	TV1510 NH-NP
Valve	1 ½" NH-F, Automatic Check and Bleeder	1	1	
	¾" NH, Shut Off	5	5	SBV75R GHT
	1" NPSH Shut Off	1	1	WSV-1 NPSH
	1 ½" NH Shut Off	1	1	WSV-15 NST
	Foot, w/strainer	1	1	FV-A 1 1/2" NST
Ejector	1" NPSH x 1/12" NH, Jet Refill	*	*	
Wrench	Hydrant, adjustable, 8"	1	1	
	Spanner, 5", 1" to 1 ½" hose size	4	1	SW1
	Spanner, 11", 1 ½" to 2 ½" hose size	2	2	SW2
	Pipe, 14"	*	*	
	Pipe, 20"	*	*	
Other	Current Interagency Standards for Fire and Fire Aviation Operations	1	1	
	Belt Weather Kit	1	1	
	Binoculars	1	1	
	Maps	1	1	
	Vehicle Book w/all applicable forms	1	1	
	Current Emergency Response Guidebook	1	1	
	Owners and Operators Manuals	1	1	
	* - No minimum Stocking Required carried by engines as an option, within weight limitations			